




Crawl Space & Basement Dehumidifier


Guardian SNS90



Optional Remote Control



Optional MERV-8 Filter



Winkle-Free Tube

(Not included, purchased separately)

Proven Performance

SAVES YOU MONEY: Since it is Energy-Star rated, this dehumidifier will quickly remove moisture from the air without running up your utility bill. Energy Star appliances are not just better for the environment. They also cost 30% less to operate compared to non-Energy Star appliances.

The Guardian SNS90 dehumidifier is an effective solution to environmental control problems.

This unit is of high capacity and can operate at high efficiency to remove moisture from the air through the refrigeration process. The high-efficiency rotary compressor ensures the maximum extraction with the lowest running costs. Tight spaces are no problem for the Guardian SNS90 dehumidifier. Its compact size works perfectly in low crawlspaces and small basements without sacrificing power or performance. Designed to fit in various small spaces, the Guardian SNS90 provides multiple installation options with great flexibility.

Guardian SNS90 has the humidity sensor in bypass air design, making the short-cycling go away and quick access to internal service. Customers can do it by themselves, and service becomes easy with excellent airflow, multiple ducting options, and aside sliding filter and some amazing engineering.

The unit removes the maximum of 90 pints of water per day (AHAM) with a current draw of 5.56 amps.

It is one of the smallest and lightest dehumidifier on the market. This unit is equipped with an auto defrosting system that ensures a quick and efficient clearing of ice from the coil at the minimum operating temperature of 33.8°F.

The small compact size makes the unit ideal for installations limited to crawl spaces and basements, etc.

Key Design Features

- Super COP, 2.69 L/Kwh
- Through Pipe Drainage
- Rare Earth Alloy Tube Evaporator
- Quick Access for Service
- Smallest Size
- HVAC Remote System

Additional Features

- Engineered for low-temperature operation and the airflow issues that crawl spaces present
- Ducting options for divided spaces
- Remote Control equipped




Optional Remote Control




Quick Access to the Mainboard



Pump Drain



Small-Compact and Portable



Rare Earth Alloy Tube Evaporator



Energy Star


Specifications

Power 5.56 amps, 115V, 60 Hz, Transparent Indicated Lighting Plug	Feet Adjustable Feet	Refrigerant R410A
Cord 18 ft Power Cord	Capacity 90PPD@80°F, 60%RH	Weight 69lbs
Airflow 210CFM,350CMF	Sound Pressure Level <58 DBA	Dim(W x H x D) 22.0 x 14.0 x 16.4in
Filters Pre Filter (Optional MERV-8 Filter)	Loading Quantity 20": 180 Sets; 40": 412 Sets;40"HQ: 515Sets	

← -- 22.0inch -- →



Front



Back

← -14.0inch - →




Side

Application:

- ♦ The Guardian SNS90 Dehumidifier has cETL, and ENERGY STAR approved. Energy Star Certified Dehumidifier quickly and effectively removes moisture with less energy than conventional dehumidifiers without racking up your energy bill, saving you money.
- ♦ Installation flexibility makes the unit ideal for almost any application. No conventional dehumidifier can perform as efficiently and effectively in basements and crawlspaces as Guardian SNS90. It is the best choice for residential work and restoration jobs and is suitable for households, shops, storage areas, industrial institutions, and garage applications, etc. The remote humidistat design makes this unit ideal for places where remote sensing and control are required. Optional duct mounting angle reduces the installation time when connecting to existing/new ducting systems.
- ♦ The Guardian SNS90 dehumidifier is designed specifically for crawl spaces and basements. Low noise level, great COP, 2.69L/kWh(115v/60Hz), and huge capacity 90PPD at AHAM condition. The Guardian SNS90 supplements the air conditioning system in the summertime and maintains humidity levels balanced during the year.

- + Crawlspace
- + Shops/Bars
- + Museums/Sports
- + Water Damage Restoration
- + Computer Rooms
- + Basements
- + Hotel/Motel
- + Offices
- + Laboratories
- + Museums
- + Storage Areas
- + Restaurants



INSTALLATION OF A Guardian SNS90 WITH A SUPPLY KIT ONLY

1. Passive Return Vent
2. Remote Control (Mounts on opposite Wall in Finished Area, Energize the sensor on Remote Control)
3. Supply Grill
4. Supply/Discharge Duct Work

- ♦ Place the Guardian SNS90 in the unfinished area of the basement near drain access (condensate will be drained out via pump).
- ♦ Connecting the Duct Tube on the Collar, supply dry air from the dehumidifier to a large and open area in the finished section of the basement.
- ♦ Place a return grill/passive vent on the other side of the wall that separates the finished and unfinished areas. This will allow circular airflow to go through the basement.
- ♦ The passive grill will prevent the unfinished room from being placed under a negative reasure and allow the dehumidifier to keep the unfinished area dry.
- ♦ The Remote Control can be used for the normal remote function, to insulate the unit's noise, and can be used at the Sensor Switch. You can choose the humidity sensor from the unit and Remote Control. Be sure to keep all doors open in the basement to help proper air circulation. (bedrooms, bathrooms, etc.)



The Guardian SNS90 has a 5 years warranty.

Tel: (888)276-9833

sales@abestorm.com

www.abestorm.com